

Adjustable Grommet with Bristles

Kitchens

Features:

Doors

Kitchen Accessories

- Overlapping Trim Edge
- Lock In Top System
- Screw Hole To Permanently Attach Grommet To Furniture
- Adjustable From 2 3/8"- 60mm To 2 1/2"- 63.5mm Item #H6837
- Adjustable From 3"- 76mm To 3 1/8"- 80mm Item #H6850

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

> Pulls & Knobs

Lighting



014 Black



074 Satin Aluminum



075 Polished Brass



079 Polished Chrome



082 Antique Brass



Silicone Sleeve Provided for Expandable Size Option

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives

Item#	Bore Hole	Expandable to Bore Hole Using Silicone Sleeve	Depth	Overall Diameter	Color
H6837-014	2-3/8" - 60mm	2 1/2" - 63.5mm	7/8" - 22mm	2-3/4" - 70mm	Black
H6837-074	2-3/8" - 60mm	2 1/2" - 63.5mm	7/8" - 22mm	2-3/4" - 70mm	Satin Aluminum
H6837-078	2-3/8" - 60mm	2 1/2" - 63.5mm	7/8" - 22mm	2-3/4" - 70mm	Brushed Chrome
Item#	Bore Hole	Expandable to Bore Hole Using Silicone Sleeve	Depth	Overall Diameter	Color
H6850-014	3" - 76mm	3-1/8" - 80mm	7/8" - 22mm	3-1/4" - 82.5mm	Black
H6850-074	3" - 76mm	3-1/8" - 80mm	7/8" - 22mm	3-1/4" - 82.5mm	Satin Aluminum
H6850-075	3" - 76mm	3-1/8" - 80mm	7/8" - 22mm	3-1/4" - 82.5mm	Polished Brass
H6580-078	3" - 76mm	3-1/8" - 80mm	7/8" - 22mm	3-1/4" - 82.5mm	Brushed Chrome
H6850-079	3" - 76mm	3-1/8" - 80mm	7/8" - 22mm	3-1/4" - 82.5mm	Polished Chrome
H6850-082	3" - 76mm	3-1/8" - 80mm	7/8" - 22mm	3-1/4" - 82.5mm	Antique Brass




Adjustable Grommet with Bristles

Features:

- Overlapping Trim Edge
- Hinged Top with Brushes
- Satin Aluminum Finish



Item#	Bore Hole	Depth	Overall Diameter	Color
H6891-014	9-1/3" - 237mm X 3-9/10" - 99mm	9/16" - 15mm	9-15/32" - 240mm X 3-15/16" - 100mm	Black
H6891-074	9-1/3" - 237mm X 3-9/10" - 99mm	9/16" - 15mm	9-15/32" - 240mm X 3-15/16" - 100mm	Satin Aluminum



Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives



Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood

Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

> Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives



Stainless Steel Grommets

• 16 SIZES AVAILABLE • OVERLAPPING TRIM EDGE • PROFESSIONAL FINISHING TOUCH

Item#	Bore Hole	Depth	Overall Diameter	Color	Finish
H6123-179	2-1/2 - 64mm	1" - 25mm	3" - 76mm	Stainless Steel	Polished
H6123-279	3" - 76mm	1-1/2" - 50mm	3-1/2" - 89mm	Stainless Steel	Polished
H6124-279	4" - 102mm	2" - 50mm	4-3/4" - 120mm	Stainless Steel	Polished
H6145-100	5" - 127mm	2" - 50mm	5-3/4" - 146mm	Stainless Steel	Brushed
H6143-100	6" - 152mm	1" - 25mm	6-3/4" - 171mm	Stainless Steel	Brushed
H6143-179	6" - 152mm	1" - 25mm	6-3/4" - 171mm	Stainless Steel	Polished
H6143-279	6" - 152mm	2" - 25mm	6-3/4" - 171mm	Stainless Steel	Polished
H6143-479	6" - 152mm	4" - 102mm	6-3/4" - 171mm	Stainless Steel	Polished
H6143-679	6" - 152mm	6" - 152mm	6-3/4" - 171mm	Stainless Steel	Polished
H6148-179	8" - 203mm	1" - 25mm	8-3/4" - 222mm	Stainless Steel	Polished
H6148-279	8" - 203mm	2" - 25mm	8-3/4" - 222mm	Stainless Steel	Polished
H6150-179	10" - 254mm	1" - 25mm	10-3/4" - 273mm	Stainless Steel	Polished
H6150-279	10" - 254mm	2" - 25mm	10-3/4" - 273mm	Stainless Steel	Polished
H6152-179	12" - 304mm	1" - 25mm	12-3/4" - 323mm	Stainless Steel	Polished
H6152-279	12" - 304mm	2" - 25mm	12-3/4" - 323mm	Stainless Steel	Polished
H6152-679	12" - 304mm	6" - 152mm	12-3/4" - 323mm	Stainless Steel	Polished





Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives

Stainless Steel Grommets

Kitchens

- OVERLAPPING TRIM EDGE
- SMOOTH FINISH

Doors • PROFESSIONAL FINISHING TOUCH

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Hardware

Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives

Chemicals Staples Screws



1" Depth

Item#	Bore Hole	Depth	Overall Diameter	Color	Finish
H6123-179	2-1/2 - 64mm	1" - 25mm	3" - 76mm	Stainless Steel	Polished
H6123-279	3" - 76mm	1-1/2" - 50mm	3-1/2" - 89mm	Stainless Steel	Polished
H6143-100	6" - 152mm	1" - 25mm	6-3/4" - 171mm	Stainless Steel	Brushed
H6143-179	6" - 152mm	1" - 25mm	6-3/4" - 171mm	Stainless Steel	Polished
H6148-179	8" - 203mm	1" - 25mm	8-3/4" - 222mm	Stainless Steel	Polished
H6150-179	10" - 254mm	1" - 25mm	10-3/4" - 273mm	Stainless Steel	Polished
H6152-179	12" - 304mm	1" - 25mm	12-3/4" - 323mm	Stainless Steel	Polished



2" Depth

Item#	Bore Hole	Depth	Overall Diameter	Color	Finish
H6124-279	4" - 102mm	2" - 50mm	4-3/4" - 120mm	Stainless Steel	Polished
H6145-100	5" - 127mm	2" - 50mm	5-3/4" - 146mm	Stainless Steel	Brushed
H6143-279	6" - 152mm	2" - 25mm	6-3/4" - 171mm	Stainless Steel	Polished
H6148-279	8" - 203mm	2" - 25mm	8-3/4" - 222mm	Stainless Steel	Polished
H6150-279	10" - 254mm	2" - 25mm	10-3/4" - 273mm	Stainless Steel	Polished
H6152-279	12" - 304mm	2" - 25mm	12-3/4" - 323mm	Stainless Steel	Polished



Stainless Steel Grommets

- OVERLAPPING TRIM EDGE
- SMOOTH FINISH
- PROFESSIONAL FINISHING TOUCH



4" Depth

Item#	Bore Hole	Depth	Overall Diameter	Color	Finish
H6143-479	6" - 152mm	4" - 102mm	6-3/4" - 171mm	Stainless Steel	Polished



Item#	Bore Hole	Depth	Overall Diameter	Color	Finish
H6143-679	6" - 152mm	6" - 152mm	6-3/4" - 171mm	Stainless Steel	Polished
H6152-679	12" - 304mm	6" - 152mm	12-3/4" - 323mm	Stainless Steel	Polished



Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture

Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives

Stainless Steel Grommets

Kitchens

Doors

- OVERLAPPING TRIM EDGE
- SMOOTH FINISH
- PROFESSIONAL FINISHING TOUCH

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

> Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems


Molding, Carvings

Tools

Adhesives Solvents Abrasives



Item#	Bore Hole	Depth	Color	Finish
H6138-100	6" - 152mm x 2-1/2" - 64mm	11/16"	Stainless Steel	Brushed
H6139-100	6" - 152mm x 3-1/8" - 64mm	11/16"	Stainless Steel	Brushed



Trash Grommets


- OVERLAPPING TRIM EDGE
- SMOOTH FINISH
- PROFESSIONAL FINISHING TOUCH

Item#	Bore Hole	Depth	Overall Diameter	Color
H6122-010	4-1/8" 105mm	7/8" - 22mm	4-3/8" - 111mm	White
H6122-014	4-1/8" 105mm	7/8" - 22mm	4-3/8" - 111mm	Black
H6122-021	4-1/8" 105mm	7/8" - 22mm	4-3/8" - 111mm	Gray
H6122-029	4-1/8" 105mm	7/8" - 22mm	4-3/8" - 111mm	Almond
H6122-075	4-1/8" 105mm	7/8" - 22mm	4-3/8" - 111mm	Gold
H6122-079	4-1/8" 105mm	7/8" - 22mm	4-3/8" - 111mm	Chrome
Item#	Bore Hole	Depth	Overall Diameter	Color
44-115				
TT 110	6" - 152mm	1" - 25mm	6-3/4" - 171mm	White
44-117	6" - 152mm 6" - 152mm	1" - 25mm 1" - 25mm	6-3/4" - 171mm 6-3/4" - 171mm	White Black
44-117	6" - 152mm	1" - 25mm	6-3/4" - 171mm	Black
44-117 44-119	6" - 152mm 6" - 152mm	1" - 25mm 1" - 25mm	6-3/4" - 171mm 6-3/4" - 171mm	Black Gray



44-117 Black Shown





Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives

2-Piece Wire Grommet

Kitchens

• Made In U.S.A.

• Living Hinge Tabbed Openings

• Fine Pebble Texture Finish

• Overlapping Trim Edge





Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-131	3/4" - 19mm	5/8" - 16mm	1" - 25mm	Black	3/4" - 19mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-133	1" - 25mm	5/8" - 16mm	1-1/4" - 32mm	Black	1" - 25mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-135	1-1/4" - 32mm	5/8" - 16mm	1-1/2" - 38mm	Black	1-1/4" - 32mm
44-134	1-1/4" - 32mm	5/8" - 16mm	1-1/2" - 38mm	White	1-1/4" - 32mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-136	1-1/2" - 38mm	5/8" - 16mm	1-3/4" - 44mm	White	1-1/2" - 38mm
44-137	1-1/2" - 38mm	5/8" - 16mm	1-3/4" - 44mm	Black	1-1/2" - 38mm
44-138	1-1/2" - 38mm	5/8" - 16mm	1-3/4" - 44mm	Almond	1-1/2" - 38mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-124	1-3/4" - 44mm	1" - 25mm	2" - 50mm	White	1-3/4" - 44mm
44-125	1-3/4" - 44mm	1" - 25mm	2" - 50mm	Almond	1-3/4" - 44mm
44-139	1-3/4" - 44mm	1" - 25mm	2" - 50mm	Black	1-3/4" - 44mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-150	2" - 50mm	5/8" - 16mm	2-1/4" - 57mm	White	2" - 50mm
44-151	2" - 50mm	5/8" - 16mm	2-1/4" - 57mm	Black	2" - 50mm
44-152	2" - 50mm	5/8" - 16mm	2-1/4" - 57mm	Almond	2" - 50mm





Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

> Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives

2-Piece Wire Grommet

- Made In U.S.A.
- Living Hinge Tabbed Openings
- Fine Pebble Texture Finish
- Overlapping Trim Edge



Part # 44-156 Shown




Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-140	2-3/8" - 60mm	5/8" - 16mm	2-5/8" - 67mm	White	2-3/8" - 60mm
44-141	2-3/8" - 60mm	5/8" - 16mm	2-5/8" - 67mm	Black	2-3/8" - 60mm
44-142	2-3/8" - 60mm	5/8" - 16mm	2-5/8" - 67mm	Almond	2-3/8" - 60mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
44-148	2-1/2" - 64mm	5/8" - 16mm	2-3/4" - 70mm	White	2-1/2" - 64mm
44-143	2-1/2" - 64mm	5/8" - 16mm	2-3/4" - 70mm	Black	2-1/2" - 64mm
44-144	2-1/2" - 64mm	5/8" - 16mm	2-3/4" - 70mm	Almond	2-1/2" - 64mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
ιισιιπ	Doic Hole	Берит	O voi an Biai	00.0.	0.20
44-156	3" - 76mm	5/8" - 16mm	3-1/4" - 83mm	White	3" - 76mm
		•			
44-156	3" - 76mm	5/8" - 16mm	3-1/4" - 83mm	White	3" - 76mm
44-156 44-145	3" - 76mm 3" - 76mm	5/8" - 16mm 5/8" - 16mm	3-1/4" - 83mm 3-1/4" - 83mm	White Black	3" - 76mm 3" - 76mm
44-156 44-145 44-146	3" - 76mm 3" - 76mm 3" - 76mm	5/8" - 16mm 5/8" - 16mm 5/8" - 16mm	3-1/4" - 83mm 3-1/4" - 83mm 3-1/4" - 83mm	White Black Almond	3" - 76mm 3" - 76mm 3" - 76mm
44-156 44-145 44-146 Item#	3" - 76mm 3" - 76mm 3" - 76mm Bore Hole	5/8" - 16mm 5/8" - 16mm 5/8" - 16mm Depth	3-1/4" - 83mm 3-1/4" - 83mm 3-1/4" - 83mm Overall Dia.	White Black Almond Color	3" - 76mm 3" - 76mm 3" - 76mm Size

All Colors are approximations, Actual results may vary.







Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture

Pulls Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives

3-Piece Wire Grommet

Kitchens

Doors

- Made In U.S.A.
- Living Hinge Tabbed Openings
- Fine Pebble Texture Finish
- Overlapping Trim Edge

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

> Pulls Knobs

Lighting

Grommets

Locks, Lock **Systems**

Molding, Carvings

Tools

Adhesives Solvents Abrasives

Chemicals Staples Screws



Part # 44-786 Shown



Item#	Bore Hole	Depth	Overall Dia.	Color	Size
43-780	50mm	25mm	62mm	White	50mm
43-782	50mm	25mm	62mm	Black	50mm
43-786	50mm	25mm	62mm	Almond	50mm
43-788	50mm	25mm	62mm	Brown	50mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
43-200	60mm	25mm	72mm	White	60mm
43-194	60mm	25mm	72mm	Black	60mm
43-202	60mm	25mm	72mm	Gray	60mm
43-204	60mm	25mm	72mm	Almond	60mm
43-192	60mm	25mm	72mm	Brown	60mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
43-206	70mm	25mm	82mm	White	70mm
43-794	70mm	25mm	82mm	Black	70mm
43-208	70mm	25mm	82mm	Gray	70mm
43-210	70mm	25mm	82mm	Almond	70mm
Item#	Bore Hole	Depth	Overall Dia.	Color	Size
43-796	80mm	25mm	92mm	Black	80mm

All Colors are approximations, Actual results may vary.





Flexi-Grommet

Wire Grommets



ORDER Number	SIZE	COLOR
44-105	80mm	Black
44-107	80mm	Gray
44-109	80mm	Beige
44-111	80mm	Brown
44-102	60mm	Black
44-104	60mm	Gray
44-106	60mm	Beige
44-108	60mm	Brown



Kitchens

Doors

Kitchen Accessories

Hinges

Drawer

Paper Grommet

Plywood Melamine

> Veneer Edgebanding

Laminate

Solid

Surface

Closets

Furniture Hardware

Pulls

Knobs

Lighting

Grommets

Locks, Lock **Systems**

Molding,


Carvings

Tools

Adhesives Solvents

Chemicals Staples Screws






ORDER NUMBERS

Black......43-720


Brown 43-724

-- Telescoping Wire Grommet – Liner & Edge Hinged Tab ------



· Overlapping trim edge

· Full relief groove all around




ORDER NUMBER.....44-167


Available in **Black**

Features

- Made in U.S.A.
- · Living hinge tabbed openings
- Fine pebble texture finish
- · Overlapping trim edge

Telescoping Wire Grommet - Liner & Edge Hinged Tab ----





ORDER NUMBER.....44-173





• Made in U.S.A.

• Fine pebble texture finish



Ventilation Grommets

Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

> Pulls & Knobs

Lighting


Grommets


Locks, Lock Systems


Molding, Carvings

Tools

Adhesives Solvents Abrasives








Color 010 White Shown

Item#	Bore Hole	Depth	Overall Diameter	Color
H6437-010	3-1/4" 83mm	5/8" - 15mm	4-1/4" - 108mm	White
43-478	3-1/4" 83mm	5/8" - 15mm	4-1/4" - 108mm	Black
H6437-021	3-1/4" 83mm	5/8" - 15mm	4-1/4" - 108mm	Gray
H6437-029	3-1/4" 83mm	5/8" - 15mm	4-1/4" - 108mm	Almond
H6437-058	3-1/4" 83mm	5/8" - 15mm	4-1/4" - 108mm	Brown





	44-1	153	В	lack	Sh	own
--	------	-----	---	------	----	-----

Item#	Bore Hole	Depth	Overall Diameter	Color
H6435-010	2-1/2" 64mm	5/8" - 16mm	3" - 76mm	White
44-153	2-1/2" 64mm	5/8" - 16mm	3" - 76mm	Black
H6435-021	2-1/2" 64mm	5/8" - 16mm	3" - 76mm	Gray
H6435-029	2-1/2" 64mm	5/8" - 16mm	3" - 76mm	Almond
H6435-058	2-1/2" 64mm	5/8" - 16mm	3" - 76mm	Brown



Ventilation Grommets

OVERLAPPING TRIM EDGE
 SMOOTH FINISH
 PROFESSIONAL FINISHING TOUCH
 SCREW HOLES TO SECURE GROMMET TO FURNITURE
 ALL STEEL CONSTRUCTION



Item#	Bore Hole		Depth	Overall Diameter	Color
H6439-010	Length	12"	5/8"	12-1/2"	White
	Width	6"		6-1/2"	
H6439-014	Length	12"	5/8"	12-1/2"	Black
	Width	6"		6-1/2"	
H6439-078	Length	12"	5/8"	12-1/2"	Brushed
	Width	6"		6-1/2"	Chrome

Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture Hardware

Pulls & Knobs

Lighting

Grommets

Locks, Lock Systems

Molding, Carvings

Tools

Adhesives Solvents Abrasives



Ventilation Fan



Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Hardware

Pulls & Knobs

Lighting

Grommets


Locks, Lock Systems

Molding, Carvings


Tools

Adhesives Solvents Abrasives

Chemicals Staples Screws



Air blower Type Explanation



ORDER NUMBER.....44-155

Fan sold with steel protector



The axial-flow AC fan uses aluminum die casting frame, with blades made of VO pole fire resistant PBT plastic injection mold, oil bearing structure. The fan widely applies to accurate apparatus, generating equipment, warm-air drier, electric welder. Before leaving factory, the fan is strictly tested (including dielectric strength, moisture-proof, cold resistance, thermostability, impact strength, longevity experiment, etc.) to insure maximum safety and maximum life expectancy.

AVERAGE LIFE OF FAN 50,000 HOURS (5.7 YEARS OF CONSTANT USE!!)

Motor: Shaded pole motor structure

Frame: Black stoving varnish aluminium die casting, antiseptic and damp proof.

Fan Blade: Injection molded one-off shaping, PBT+30% Fiberglass = VO pole fire resistant agent Insulation: B level insulated eNamel-convered wire with 120 centigrade high-temperature resistance

Insulating Electric Resistance: over 500 mega-ohm

Withstand Voltage: Leaking current 0.5 mA, withstand voltage 1500/one minute.

Operating temperature: -10 centigrade to +70 centigrade Storing temperature: -40 centigrade to +70 centigrade

Operating Voltage: 115V (from 85V to 125V)

220V (from 185V to 245V) Working life 50,000 hours

Environment temperature s 25 Deg. C



"The Brain" Smart Grommet

Workstation Grommet Hub

- Surge protection
- 4 usb 2.0 ports
- 2 electric outlets
- Ethernet connection
- Phone connection

Order Number41-150 12 Units Per Case



A powerful solution for easy access to Ethernet Jacks, Phone Jacks, USB ports, and Power Jacks. Effortlessly connect scanners, printers, MP3 Players, Digital Cameras, PDA's and more.

Quick and easy installation procedure. Simply install the PDCH (power data connectivity device) into a desk grommet hole with any size between 60mm (2-3/8") and 70mm (2-3/4").

Will work with AC 100~240V.

Below the desk, you will find a 6ft 1 X 1.83M grounded electrical power cord, one RJ45 metal housing shielded Ethernet (high Speed) Jack, one RJ11 phone Jack and one USB 2.0 Upstream Port (secondary).

Above the desk you will find 1 lighted On/Off switch with built in circuit breaker, two

110V (or 240V) electrical outlets, 1 RJ45 metal housing shielded Ethernet (high speed) jack, 1 RJ11 metal housing shielded phone jack, 1 USB 2.0 Upstream port (primary) and 4 USB 2.0 downstream port.

Other great features include: High speed USB 2.0 4 port Hub controller, Built-in power supply, safety 12v working voltage, supports 4 high speed downstream devices at 480Mbps.

The primary and secondary port can be utilized by computer. However, only the primary port will be recognized if both are connected at the same time. Once the primary port has been disconnected, the secondary port will become active.

Fully supports: Windows 98, Windows 2000, Windows ME, Windows XP and Mac OS, X.

The two power outlets are rated at 10A, 900 Joules. The maximum power consumption of outlets is up to 1200 watts. If the power line becomes overLOADed, the circuit breaker will be triggered and the power to the units will be cut off. If this happens, simply unplug the device then press the power switch OFF and then back ON to reset the circuit breaker.





Kitchens

Doors

Kitchen Accessories

Hinges

Drawer Slides

Plywood Melamine

Veneer Edgebanding

Laminate

Solid Surface

Closets

Furniture

Pulls

BOTTOM

Knohs

Lighting

Grommets

Locks, **Systems**

Molding, Carvings

Tools

Adhesives Solvents Abrasives

